ELSEVIER

Journal of Organometallic Chemistry 570 (1998) 297

Journal of Organometallic Chemistry

Author index of Volume 570

Anglés, P., 79
Antiñolo, A., 97
Asao, T., 265

Bardin, V.V., 255
Barrau, J., 163
Benakki, R., 79
Biran, C., 145
Bordeau, M., 145
Bor, G., 39
Borwieck, H., 119
Bruhn, C., 127
Brunet, J.-J., 195

Carrillo-Hermosilla, F., 97
Chauvin, R., 195
Chrostowska, A., 175
Corriu, R.J.P., 183
Courtois, G., 279
Crisp, G.T., 219

Dąbrowski, M., 31
Davies, J.A., 127
Desré, V., 279
Díez-Barra, E., 97
Diallo, O., 195
Dietler, U.K., 39
Ding, E.-R., 71
Dinjus, E., 119
Donnadieu, B., 195
Drießen-Hölscher, B., 139
Duan, C.-Y., 155

El Amraoui, T., 163

Fernández-Baeza, J., 97
Fischer, R.D., 89
Frison, G., 225
Frohn, H.-J., 255

Ganesan, M., 247
Gerisch, M., 127
Guillemin, J.-C., 175
Gupta, B.D., 1

Heinen, J., 139
Herberhold, M., 241

Ito, S., 265

Jaffart, J., 195
Jehle, H., 107
Jeong, Y., 9
Jin, G.-X., 241
Jung, I., 9

Kanth, V.V., 1
Katsukawa, Y., 113
Keglevich, G., 49
Kim, C., 9
Kinjo, M., 265
Kirschbaum, K., 127
Kivekäs, R., 79
Kliś, T., 31
Krishnamurthy, S.S., 247
Kurita, M., 265

Lanneau, G.F., 183
Lara-Sánchez, A., 97
Lewin, A., 255
Lewis, J., 55
Liu, Z.-H., 155
Long, N.J., 55
Ludányi, K., 49
Luliński, S., 31

Madura, I., 31
Mak, T.C.W., 155
Malisch, W., 107
Mathey, F., 225
Meliani, H., 79
Métail, V., 175
Miginiac, L., 279
Mix, A., 183
Moreau, C., 145
Morita, N., 265
Müller, J.F.K., 293

Neibecker, D., 195
Nethaji, M., 247
Neuburger, M., 293
Nieger, M., 275

Onaka, S., 113
Otero, A., 97

Pfister-Guillouzo, G., 175
Pruchnik, F.P., 63

Raithby, P.R., 55
Rebizant, J., 119
Rehmann, F.-J., 107
Reising, J., 107
Rheingold, A.L., 241
Rima, G., 163

Saito, K., 265
Sato, T., 265
Schmidt, H., 127
Schulz, S., 275
Serein-Spirau, F., 145
Serwatowski, J., 31
Sevin, A., 225
Shiotsuka, M., 113
Siebel, E., 89
Sillanpää, R., 79
Singh, V., 1
Smoleński, P., 63
Spingler, B., 293
Stehr, J., 89
Steinborn, D., 127
Steiner, T., 235
Steinhauser, K., 49
Stephens, K.A., 219
Steudel, A., 89
Sun, J., 71

Tajiri, A., 265
Tamm, M., 235
Tannenbaum, R., 39
Teixidor, F., 79
Tejeda, J., 97
Tian, Y.-P., 155
Tőke, L.ó., 49
Turner, P.D., 219

Ueno, M., 265
Ungváry, F., 39

Viñas, C., 79

Wajda-Hermanowicz, K., 63
Walter, O., 119
Winter, R.F., 201
Wolmershäuser, G., 201
Wu, S.-L., 71

Yasunami, M., 265
Yin, Y.-Q., 71
Younus, M., 55
You, X.-Z., 155

Zachara, J., 31
Zehnder, M., 293

PII S0022-328X(98)00965-6

ELSEVIER

Journal of Organometallic Chemistry 570 (1998) 299–303

Journal of Organometallic Chemistry

Subject index of Volume 570

Acetylacetonate complexes
Rhodium(I) acetylacetonato complexes with functionalized phosphines, 63
Acetylide
Synthetic, spectroscopic and electrochemical characterisation of mixed-metal acetylide complexes, 55
Acyloxyboranes
Pyrazole complexes of acyloxydialkylboranes, 31
μ-Alkoxide
Solid-state and solution structures of several new $[LnCp'_2(OR)]_2$ complexes (Ln = Pr, Yb) with chiral, oxygen-functionalized μ-alkoxide ligands, 89
Alkyne
Transition-metal-substituted phosphanes, arsanes and stibanes, LXIII. Coupling reactions of alkynes with iron coordinated diphenylphosphane: generation of an alkenylphosphane and a chelating bisphosphane ligand, 107
1-Alkynylgermane
Photoelectron spectra of vinyl- and 1-alkynylgermanes and stannanes, 175
1-Alkynylstannane
Photoelectron spectra of vinyl- and 1-alkynylgermanes and stannanes, 175
Allyoxy groups
Preparation and identification of dendritic carbosilanes containing allyloxy groups derived from 2,4,6,8-tetramethyl-2,4,6,8-tetravinylcyclotetrasiloxane $(Me(CH_2{=}CH)SiO)_4$ and 1,2-bis(triallyloxysilyl)ethane $((CH_2{=}CHCH_2O)_3SiCH_2)_2$, 9
Aminophosphines
Synthesis and reactivity of $[(R^1R^2N)_2PH]Fe(CO)_4$ complexes. X-ray crystal structure of $[(Ph_2N)_2PH]Fe(CO)_4$, 195
Antimony
Synthesis and characterization of organogallium-antimony compounds, 275
Asymmetric synthesis
Synthesis and structure of a chiral bicyclic stannylated phosphoric triamide, 293

Biferrocene
Syntheses, electrochemistry and crystal structure studies of novel *cis*-configuration biferrocene trinuclear complexes, 155
Biphasic hydrogenation
Selective two-phase-hydrogenation of sorbic acid with novel water soluble ruthenium complexes, 139
Bromide
High-yield electrosynthesis of furylchlorosilanes, silyl and silanylene furans, 145

Carboranes
New NS_2 and $S'S_2$ ligands derivatives of pyridine and thiophene incorporating icosahedral carboranes, 79
C≡C acceptors
Weak hydrogen bonds from Cp donors to C≡C acceptors, 235
Chelate phosphane
Transition-metal-substituted phosphanes, arsanes and stibanes, LXIII. Coupling reactions of alkynes with iron coordinated diphenylphosphane: generation of an alkenylphosphane and a chelating bisphosphane ligand, 107
Chiral stannane
Synthesis and structure of a chiral bicyclic stannylated phosphoric triamide, 293
Chromium
The use of half-sandwich iridium dithiolate and diselenolate complexes, $Cp^*Ir(L)(ER)_2$ (L = CO, PMe_3, PPh_3; ER = SPh, SePh, SeMe), for the synthesis of heterodimetallic compounds. The molecular structure of $Cp^*Ir(CO)(\mu\text{-}SePh)_2[Mo(CO)_4]$, 241
Cis-configuration
Syntheses, electrochemistry and crystal structure studies of novel *cis*-configuration biferrocene trinuclear complexes, 155
Cobalt-diphosphazne-carbonyl complexes
Reductive carbonylation route to Co(0) and Co(I) carbonyl complexes containing bridging, chelating and cleaved diphosphazanes. Structures of $[Co(CO)\{P(OR)_2(NHMe)\}_2\{P(O)(OR)_2\}\{P(H)(OR')_2\}]$ ($R = CH_2CF_3$, $R' = CH_2CH_3$), $[Co_2(CO)_2\{\mu\text{-}MeN\{P(OR)_2\}_2\}_3]$ ($R = CH_2CF_3$), and $[Co(CO)\{\eta^2\text{-}MeN\{P(OR)_2\}_2\}_2][CoCl_3(OC_4H_8)]$ (R = Ph), 247
Cobalt hydride complex
Fundamental metal carbonyl equilibria, V: Reinvestigation of the equilibrium between dicobalt octacarbonyl and cobalt tetracarbonyl hydride under hydrogen pressure, 39
Co-cyclopentadienone-complexes
Organometallic chemistry in supercritical water: metallorganic products of the CpCo-catalyzed cyclotrimerization of acetylenes, 119
Coupling of oxyhalides with alkynes
Palladium-catalysed coupling of terminal alkynes with aryl halides aided by catalytic zinc, 219
Cp donors
Weak hydrogen bonds from Cp donors to C≡C acceptors, 235
Crystal structure
Pyrazole complexes of acyloxydialkylboranes, 31
Syntheses, electrochemistry and crystal structure studies of novel *cis*-configuration biferrocene trinuclear complexes, 155
Synthesis and structure of a chiral bicyclic stannylated phosphoric triamide, 293
The use of half-sandwich iridium dithiolate and diselenolate complexes, $Cp^*Ir(L)(ER)_2$ (L = CO, PMe_3, PPh_3; ER = SPh, SePh, SeMe), for the synthesis of heterodimetallic compounds. The molecular structure of $Cp^*Ir(CO)(\mu\text{-}SePh)_2[Mo(CO)_4]$, 241
Cyclobutadiene complexes
Synthesis and characterization of novel dinuclear and cationic cyclobutadiene platinum complexes, 127
Cycloheptadiene
Reactivity of (2,4-cycloheptadiene-1,6-dione)$Fe(CO)_3$: synthesis of hinokitiol and (7,8-diphenylheptatriafulvalene-1,6-quinone)$Fe(CO)_3$, 265
Cyclopentadienyl-Co-complexes
Organometallic chemistry in supercritical water: metallorganic products of the CpCo-catalyzed cyclotrimerization of acetylenes, 119

PII S0022-328X(98)00966-8

Cyclotrimerization of acetylenes
Organometallic chemistry in supercritical water: metallorganic products of the CpCo-catalyzed cyclotrimerization of acetylenes, 119

Dendritic macromolecules
Preparation and identification of dendritic carbosilanes containing allyloxy groups derived from 2,4,6,8-tetramethyl-2,4,6,8-tetravinylcyclotetrasiloxane $(Me(CH_2{=}CH)SiO)_4$ and 1,2-bis(-triallyloxysilyl)ethane $((CH_2{=}CHCH_2O)_3SiCH_2)_2$, 9
Desamination
The dichloromethane induced fragmentation of ferrocenylmethyldimethylamine. Mechanistic aspects and crystallographic and electrochemical investigation of the $(FcCH_2)_2NMe_2^+$ and $FcCH_2NMe_2H^+$ ions, 201
Dichloromethane
The dichloromethane induced fragmentation of ferrocenylmethyldimethylamine. Mechanistic aspects and crystallographic and electrochemical investigation of the $(FcCH_2)_2NMe_2^+$ and $FcCH_2NMe_2H^+$ ions, 201
Dicobalt octacarbonyl
Fundamental metal carbonyl equilibria, V: Reinvestigation of the equilibrium between dicobalt octacarbonyl and cobalt tetracarbonyl hydride under hydrogen pressure, 39
Dimetal clusters
Synthesis and expansion reaction of ferrocenylacetylene dimetal carbonyl compounds. The molecular structures of μ-FcC-CHCoMo(CO)$_5$Cp and μ_3-FcCHCFeCo$_2$(CO)$_9$, 71
2-(1,3-Dimethylimidazolidine-2-yl)aryl ligand
Intramolecular nitrogen ligand stabilization of phenyl-imidazolidine derived silicon species, 183
Dioxygen insertion reactions
Organocobaloximes: synthesis, oxygen insertion and kinetics, 1

Electrochemical synthesis
High-yield electrosynthesis of furylchlorosilanes, silyl and silanylene furans, 145
Electrochemistry
Syntheses, electrochemistry and crystal structure studies of novel *cis*-configuration biferrocene trinuclear complexes, 155
Synthetic, spectroscopic and electrochemical characterisation of mixed-metal acetylide complexes, 55
Electron localization function
Theoretical study of electrophilic versus nucleophilic character of transition metal complexes of phosphinidene, 225
Electrophilic and nucleophilic behaviour
Theoretical study of electrophilic versus nucleophilic character of transition metal complexes of phosphinidene, 225
Electrophilic substitution
Reactions of methyl(pentafluorophenyl)- and methyl(pentafluorophenyl)phenylsilanes with electrophiles. A convenient preparative route to halogeno(methyl)pentafluorophenylsilanes $C_6F_5SiMe_2X$ and $C_6F_5SiMeX_2$ (X = F, Cl and Br), 255
Expansion
Synthesis and expansion reaction of ferrocenylacetylene dimetal carbonyl compounds. The molecular structures of μ-FcC-CHCoMo(CO)$_5$Cp and μ_3-FcCHCFeCo$_2$(CO)$_9$, 71

Ferrocenes
The dichloromethane induced fragmentation of ferrocenylmethyldimethylamine. Mechanistic aspects and crystallographic and electrochemical investigation of the $(FcCH_2)_2NMe_2^+$ and $FcCH_2NMe_2H^+$ ions, 201
Ferrocenium salts
The dichloromethane induced fragmentation of ferrocenylmethyldimethylamine. Mechanistic aspects and crystallographic and electrochemical investigation of the $(FcCH_2)_2NMe_2^+$ and $FcCH_2NMe_2H^+$ ions, 201
Ferrocenylacetylene
Synthesis and expansion reaction of ferrocenylacetylene dimetal carbonyl compounds. The molecular structures of μ-FcC-CHCoMo(CO)$_5$Cp and μ_3-FcCHCFeCo$_2$(CO)$_9$, 71
Fragmentation
Photolysis of the cycloadduct of a 1,2-dihydrophosphinine oxide with *N*-phenylmaleimide in the presence of protic species: new aspects on the mechanism of the fragmentation of a 2-phosphabicyclo[2.2.2]octene, 49
Fulvalene
Reactivity of (2,4-cycloheptadiene-1,6-dione)Fe(CO)$_3$: synthesis of hinokitiol and (7,8-diphenylheptatriafulvalene-1,6-quinone) Fe(CO)$_3$, 265
Functional primary amines
Synthèse regiosélective par voie organométallique d'amines primaires propargyliques γ-fonctionnelles et applications, 279
Furylchlorosilanes
High-yield electrosynthesis of furylchlorosilanes, silyl and silanylene furans, 145
Furylsilanes
High-yield electrosynthesis of furylchlorosilanes, silyl and silanylene furans, 145

Gallium
Synthesis and characterization of organogallium-antimony compounds, 275
Germaneselone
Low coordinate germanium and tin compounds $(ArO)_2M{=}E$ and $(ArO)_2M{=}M'L_n$ M = Ge, Sn; E = S, Se, $-NSiMe_3$ M′ = Cr, W, Fe, Pt [Ar = 2,4,6-tris((dimethylamino)methyl)phenyl-], 163
Germanethione
Low coordinate germanium and tin compounds $(ArO)_2M{=}E$ and $(ArO)_2M{=}M'L_n$ M = Ge, Sn; E = S, Se, $-NSiMe_3$ M′ = Cr, W, Fe, Pt [Ar = 2,4,6-tris((dimethylamino)methyl)phenyl-], 163

Half-sandwich iridium complexes
The use of half-sandwich iridium dithiolate and diselenolate complexes, $Cp^*Ir(L)(ER)_2$ (L = CO, PMe_3, PPh_3; ER = SPh, SePh, SeMe), for the synthesis of heterodimetallic compounds. The molecular structure of $Cp^*Ir(CO)(\mu\text{-}SePh)_2[Mo(CO)_4]$, 241
Heterodimetal complexes
The use of half-sandwich iridium dithiolate and diselenolate complexes, $Cp^*Ir(L)(ER)_2$ (L = CO, PMe_3, PPh_3; ER = SPh, SePh, SeMe), for the synthesis of heterodimetallic compounds. The molecular structure of $Cp^*Ir(CO)(\mu\text{-}SePh)_2[Mo(CO)_4]$, 241
Hinokitiol
Reactivity of (2,4-cycloheptadiene-1,6-dione)Fe(CO)$_3$: synthesis of hinokitiol and (7,8-diphenylheptatriafulvalene-1,6-quinone) Fe(CO)$_3$, 265
Homogeneous catalysis
Rhodium(I) acetylacetonato complexes with functionalized phosphines, 63
Hydridotetracarbonylferrates
Synthesis and reactivity of $[(R^1R^2N)_2PH]Fe(CO)_4$ complexes. X-ray crystal structure of $[(Ph_2N)_2PH]Fe(CO)_4$, 195
Hydroformylation
Rhodium(I) acetylacetonato complexes with functionalized phosphines, 63
Hydroformylation reaction
Fundamental metal carbonyl equilibria, V: Reinvestigation of the equilibrium between dicobalt octacarbonyl and cobalt tetracarbonyl hydride under hydrogen pressure, 39
Hydrogenation
Rhodium(I) acetylacetonato complexes with functionalized phosphines, 63

Hydrogen bonds
Weak hydrogen bonds from Cp donors to C≡C acceptors, 235
Hydrosilation
Preparation and identification of dendritic carbosilanes containing allyloxy groups derived from 2,4,6,8-tetramethyl-2,4,6,8-tetravinylcyclotetrasiloxane $(Me(CH_2{=}CH)SiO)_4$ and 1,2-bis(triallyloxysilyl)ethane $((CH_2{=}CHCH_2O)_3SiCH_2)_2$, 9

Intramolecular nucleophilic activation
Intramolecular nitrogen ligand stabilization of phenyl-imidazolidine derived silicon species, 183
Iron
Reactivity of (2,4-cycloheptadiene-1,6-dione)$Fe(CO)_3$: synthesis of hinokitiol and (7,8-diphenylheptatriafulvalene-1,6-quinone)$Fe(CO)_3$, 265
The use of half-sandwich iridium dithiolate and diselenolate complexes, $Cp^*Ir(L)(ER)_2$ (L = CO, PMe_3, PPh_3; ER = SPh, SePh, SeMe), for the synthesis of heterodimetallic compounds. The molecular structure of $Cp^*Ir(CO)(\mu\text{-}SePh)_2[Mo(CO)_4]$, 241
Iron carbonyl
Synthesis and reactivity of $[(R^1R^2N)_2PH]Fe(CO)_4$ complexes. X-ray crystal structure of $[(Ph_2N)_2PH]Fe(CO)_4$, 195

α-Keto ylide
Phosphorus ylide-containing niobium complexes: preparation and characterization of homo- and heteronuclear compounds with an α-keto ylide ligand, 97
Kinetic studies
Organocobaloximes: synthesis, oxygen insertion and kinetics, 1

Lanthanide complexes
Solid-state and solution structures of several new $[LnCp'_2(OR)]_2$ complexes (Ln = Pr, Yb) with chiral, oxygen-functionalized μ-alkoxide ligands, 89
Ligands
Solid-state and solution structures of several new $[LnCp'_2(OR)]_2$ complexes (Ln = Pr, Yb) with chiral, oxygen-functionalized μ-alkoxide ligands, 89
Lithium
Synthesis and structure of a chiral bicyclic stannylated phosphoric triamide, 293

Mechanism
Photolysis of the cycloadduct of a 1,2-dihydrophosphinine oxide with *N*-phenylmaleimide in the presence of protic species: new aspects on the mechanism of the fragmentation of a 2-phosphabicyclo[2.2.2]octene, 49
Metal-assisted coupling reaction
Transition-metal-substituted phosphanes, arsanes and stibanes, LXIII. Coupling reactions of alkynes with iron coordinated diphenylphosphane: generation of an alkenylphosphane and a chelating bisphosphane ligand, 107
Metallanimine
Low coordinate germanium and tin compounds $(ArO)_2M{=}E$ and $(ArO)_2M{=}M'L_n$ M = Ge, Sn; E = S, Se, $-NSiMe_3$ M' = Cr, W, Fe, Pt [Ar = 2,4,6-tris((dimethylamino)methyl)phenyl-], 163
Molecular dot
The syntheses of pyridine-functionalyzed methylidynetricobalt nona-carbonyl clusters, their X-ray analyses, and its coordination to Pd(II), 113
Molybdenum
The use of half-sandwich iridium dithiolate and diselenolate complexes, $Cp^*Ir(L)(ER)_2$ (L = CO, PMe_3, PPh_3; ER = SPh, SePh, SeMe), for the synthesis of heterodimetallic compounds. The molecular structure of $Cp^*Ir(CO)(\mu\text{-}SePh)_2[Mo(CO)_4]$, 241

Nanometer scale cluster
The syntheses of pyridine-functionalyzed methylidynetricobalt nona-carbonyl clusters, their X-ray analyses, and its coordination to Pd(II), 113
Niobium
Phosphorus ylide-containing niobium complexes: preparation and characterization of homo- and heteronuclear compounds with an α-keto ylide ligand, 97
NMR spectra
Reductive carbonylation route to Co(0) and Co(I) carbonyl complexes containing bridging, chelating and cleaved diphosphazanes. Structures of $[Co(CO)\{P(OR)_2(NHMe)\}_2\{P(O)(OR)_2\}\{P(H)(OR')_2\}]$ ($R = CH_2CF_3$, $R' = CH_2CH_3$), $[Co_2(CO)_2\{\mu\text{-}MeN\{P(OR)_2\}_2\}_3]$ ($R = CH_2CF_3$), and $[Co(CO)\{\eta^2\text{-}MeN\{P(OR)_2\}_2\}_2][CoCl_3(OC_4H_8)]$ (R = Ph), 247
The use of half-sandwich iridium dithiolate and diselenolate complexes, $Cp^*Ir(L)(ER)_2$ (L = CO, PMe_3, PPh_3; ER = SPh, SePh, SeMe), for the synthesis of heterodimetallic compounds. The molecular structure of $Cp^*Ir(CO)(\mu\text{-}SePh)_2[Mo(CO)_4]$, 241
NMR spectroscopy
Pyrazole complexes of acyloxydialkylboranes, 31
N-Trimethylsilylimine
Synthèse regiosélective par voie organométallique d'amines primaires propargyliques γ-fonctionnelles et applications, 279
Nucleophile
Reactivity of (2,4-cycloheptadiene-1,6-dione)$Fe(CO)_3$: synthesis of hinokitiol and (7,8-diphenylheptatriafulvalene-1,6-quinone)$Fe(CO)_3$, 265
Nucleophilic alkynes
Palladium-catalysed coupling of terminal alkynes with aryl halides aided by catalytic zinc, 219

Organocobaloximes
Organocobaloximes: synthesis, oxygen insertion and kinetics, 1
Organozincs
Synthèse regiosélective par voie organométallique d'amines primaires propargyliques γ-fonctionnelles et applications, 279
Osmium
Synthetic, spectroscopic and electrochemical characterisation of mixed-metal acetylide complexes, 55

Palladium catalysis
Palladium-catalysed coupling of terminal alkynes with aryl halides aided by catalytic zinc, 219
P–H bond
Transition-metal-substituted phosphanes, arsanes and stibanes, LXIII. Coupling reactions of alkynes with iron coordinated diphenylphosphane: generation of an alkenylphosphane and a chelating bisphosphane ligand, 107
2-Phosphabicyclo[2.2.2]octene 2-oxide
Photolysis of the cycloadduct of a 1,2-dihydrophosphinine oxide with *N*-phenylmaleimide in the presence of protic species: new aspects on the mechanism of the fragmentation of a 2-phosphabicyclo[2.2.2]octene, 49
Phosphidotetracarbonylferrates
Synthesis and reactivity of $[(R^1R^2N)_2PH]Fe(CO)_4$ complexes. X-ray crystal structure of $[(Ph_2N)_2PH]Fe(CO)_4$, 195
Phosphine complexes
Synthesis and characterization of novel dinuclear and cationic cyclobutadiene platinum complexes, 127
Phosphinidene complexes
Theoretical study of electrophilic versus nucleophilic character of transition metal complexes of phosphinidene, 225

Phosphoric triamide
Synthesis and structure of a chiral bicyclic stannylated phosphoric triamide, 293
Phosphorus ylides
Phosphorus ylide-containing niobium complexes: preparation and characterization of homo- and heteronuclear compounds with an α-keto ylide ligand, 97
Phosphorylation
Photolysis of the cycloadduct of a 1,2-dihydrophosphinine oxide with *N*-phenylmaleimide in the presence of protic species: new aspects on the mechanism of the fragmentation of a 2-phosphabicyclo[2.2.2]octene, 49
Photoelectron spectroscopy
Photoelectron spectra of vinyl- and 1-alkynylgermanes and stannanes, 175
Platinum
Synthesis and characterization of novel dinuclear and cationic cyclobutadiene platinum complexes, 127
Synthetic, spectroscopic and electrochemical characterisation of mixed-metal acetylide complexes, 55
Pyrazaboles
Pyrazole complexes of acyloxydialkylboranes, 31
Pyrazole
Pyrazole complexes of acyloxydialkylboranes, 31
Pyridine
New NS_2 and $S'S_2$ ligands derivatives of pyridine and thiophene incorporating icosahedral carboranes, 79

Reductive carbonylation
Reductive carbonylation route to Co(0) and Co(I) carbonyl complexes containing bridging, chelating and cleaved diphosphazanes. Structures of $[Co(CO)\{P(OR)_2(NHMe)\}_2\{P(O)(OR)_2\}\{P(H)(OR')_2\}]$ ($R = CH_2CF_3$, $R' = CH_2CH_3$), $[Co_2(CO)_2\{\mu\text{-MeN}\{P(OR)_2\}_2\}_2]$ ($R = CH_2CF_3$), and $[Co(CO)\{\eta^2\text{-MeN}\{P(OR)_2\}_2\}_2][CoCl_3(OC_4H_8)]$ (R = Ph), 247
Rhodium(I) complexes
Rhodium(I) acetylacetonato complexes with functionalized phosphines, 63
Ruthenium
Selective two-phase-hydrogenation of sorbic acid with novel water soluble ruthenium complexes, 139
Synthetic, spectroscopic and electrochemical characterisation of mixed-metal acetylide complexes, 55

Sacrificial anode
High-yield electrosynthesis of furylchlorosilanes, silyl and silanylene furans, 145
Secondary phosphane complexes
Transition-metal-substituted phosphanes, arsanes and stibanes, LXIII. Coupling reactions of alkynes with iron coordinated diphenylphosphane: generation of an alkenylphosphane and a chelating bisphosphane ligand, 107
Semiconductor
Synthesis and characterization of organogallium-antimony compounds, 275
Silanes
Reactions of methyl(pentafluorophenyl)- and methyl(pentafluorophenyl)phenylsilanes with electrophiles. A convenient preparative route to halogeno(methyl)pentafluorophenylsilanes $C_6F_5SiMe_2X$ and $C_6F_5SiMeX_2$ (X = F, Cl and Br), 255
Silicon
High-yield electrosynthesis of furylchlorosilanes, silyl and silanylene furans, 145
Single crystal X-ray analysis
The syntheses of pyridine-functionalyzed methylidynetricobalt nona-carbonyl clusters, their X-ray analyses, and its coordination to Pd(II), 113
Single source precursor
Synthesis and characterization of organogallium-antimony compounds, 275
Si-pentacoordination
Intramolecular nitrogen ligand stabilization of phenyl-imidazolidine derived silicon species, 183
Sorbic acid
Selective two-phase-hydrogenation of sorbic acid with novel water soluble ruthenium complexes, 139
Supercritical water
Organometallic chemistry in supercritical water: metallorganic products of the CpCo-catalyzed cyclotrimerization of acetylenes, 119

Thioether
New NS_2 and $S'S_2$ ligands derivatives of pyridine and thiophene incorporating icosahedral carboranes, 79
Thiophene
New NS_2 and $S'S_2$ ligands derivatives of pyridine and thiophene incorporating icosahedral carboranes, 79
Transition metal complexes of M_{14} divalent species
Low coordinate germanium and tin compounds $(ArO)_2M{=}E$ and $(ArO)_2M{=}M'L_n$ M = Ge, Sn; E = S, Se, $-NSiMe_3$ M' = Cr, W, Fe, Pt [Ar = 2,4,6-tris((dimethylamino)methyl)phenyl-], 163
Tricobalt cluster with a pyridine ligand
The syntheses of pyridine-functionalyzed methylidynetricobalt nona-carbonyl clusters, their X-ray analyses, and its coordination to Pd(II), 113
Trimetal clusters
Synthesis and expansion reaction of ferrocenylacetylene dimetal carbonyl compounds. The molecular structures of μ-FcCCH-$CoMo(CO)_5Cp$ and μ_3-$FcCHCFeCo_2(CO)_9$, 71

Unusual P–N cleavage
Reductive carbonylation route to Co(0) and Co(I) carbonyl complexes containing bridging, chelating and cleaved diphosphazanes. Structures of $[Co(CO)\{P(OR)_2(NHMe)\}_2\{P(O)(OR)_2\}\{P(H)(OR')_2\}]$ ($R = CH_2CF_3$, $R' = CH_2CH_3$), $[Co_2(CO)_2\{\mu\text{-MeN}\{P(OR)_2\}_2\}_2]$ ($R = CH_2CF_3$), and $[Co(CO)\{\eta^2\text{-MeN}\{P(OR)_2\}_2\}_2][CoCl_3(OC_4H_8)]$ (R = Ph), 247

Vinylgermane
Photoelectron spectra of vinyl- and 1-alkynylgermanes and stannanes, 175
Vinylphosphane
Transition-metal-substituted phosphanes, arsanes and stibanes, LXIII. Coupling reactions of alkynes with iron coordinated diphenylphosphane: generation of an alkenylphosphane and a chelating bisphosphane ligand, 107
Vinylstannane
Photoelectron spectra of vinyl- and 1-alkynylgermanes and stannanes, 175
Voltammetry
The dichloromethane induced fragmentation of ferrocenylmethyldimethylamine. Mechanistic aspects and crystallographic and electrochemical investigation of the $(FcCH_2)_2NMe_2^+$ and $FcCH_2NMe_2H^+$ ions, 201

Water soluble complexes
Selective two-phase-hydrogenation of sorbic acid with novel water soluble ruthenium complexes, 139
Water soluble phosphines
Rhodium(I) acetylacetonato complexes with functionalized phosphines, 63

X-ray diffraction
Synthesis and characterization of novel dinuclear and cationic cyclobutadiene platinum complexes, 127
X-ray structures
Reductive carbonylation route to Co(0) and Co(I) carbonyl complexes containing bridging, chelating and cleaved diphosphazanes. Structures of $[Co(CO)\{P(OR)_2(NHMe)\}_2\{P(O)(OR)_2\}\{P(H)(OR')_2\}]$ ($R = CH_2CF_3$, $R' = CH_2CH_3$), $[Co_2(CO)_2\{\mu\text{-}MeN\{P(OR)_2\}_2\}_3]$ ($R = CH_2CF_3$), and $[Co(CO)\{\eta^2\text{-}MeN\{P(OR)_2\}_2\}_2][CoCl_3(OC_4H_8)]$ ($R = Ph$), 247
The dichloromethane induced fragmentation of ferrocenylmethyldimethylamine. Mechanistic aspects and crystallographic and electrochemical investigation of the $(FcCH_2)_2NMe_2^+$ and $FcCH_2NMe_2H^+$ ions, 201